



SMS LABS SERVICES PRIVATE LIMITED

TEST REPORT



TC-6118

ULR - TC611826000006336F
Report No : ENO260331004-01

Page 1 of 1
Report Date : 24 Mar 2026

Customer Name : M/s.Fusion Mont Foods And Beverages.
Customer Address : No.159/2A,Kempalahnapalya,Kanchugaranahalli,Bidadi Hobli,Ramanagara, Karnataka-562109.
Sample Name : Alkaline Water **Sample Quantity** : 10Ltr×1 No
Sample Description : Premium Alkaline Water With Added Mineral and Vitamin B-12. **Sampling Date** : 14 Mar 2026
Sample Identification : DOM : 14.03.2026 Batch No:71 **Sample Received on** : 16 Mar 2026
 Brand Name:Cool **Test Started on** : 16 Mar 2026
Sample Drawn By : SMS Lab Representative Mr.Narayana **Test Completed on** : 23 Mar 2026
Sampling Procedure : SMSLA/MB/SOP/06

TEST RESULTS

S.NO	Parameter	Test Method	Unit	Results	Requirement as per IS 14543 : 2024
5.2.Microbiological Parameters					
1	<i>Faecal streptococci / Enterococci</i>	IS 15186 - 2002 (Reaffirmed 2023)	Per 250mL	Absent	Absent/250mL
2	<i>Pseudomonas aeruginosa</i>	IS 13428 (Annex D) - 2024	Per 250mL	Absent	Absent/250mL
3	<i>Salmonella spp</i>	IS 15187 - 2016 (Reaffirmed 2021)	Per 250mL	Absent	Absent/250mL
4	<i>Shigella</i>	IS 5887 (Part 7) - 1999 (Reaffirmed 2022)	Per 250mL	Absent	Absent/250mL
5	<i>Staphylococcus aureus</i>	IS 5887 (Part 2) - 1976 (Reaffirmed 2022)	Per 250mL	Absent	Absent/250mL
6	<i>Vibrio cholerae</i>	IS 5887 (Part 5/Sec 1) - 2023	Per 250mL	Absent	Absent/250mL
7	<i>Vibrio parahaemolyticus</i>	IS 5887 (Part 5/Sec 1) - 2023	Per 250mL	Absent	Absent/250mL
8	Aerobic Microbial Count at 22°C for 72 hrs	IS 5402 (Part 1) - 2021	cfu/mL	<1	100
9	Aerobic Microbial Count at 37°C for 24 hrs	IS 5402 (Part 1) - 2021	cfu/mL	<1	20
10	Sulphite Reducing Anaerobes	IS 13428 (Annex C) - 2024	Per 50mL	Absent	Absent/50mL
11	Total Coliforms	IS 15185 - 2016 (Reaffirmed 2021)	Per 250mL	Absent	Absent/250mL
12	Yeast and Mould	IS 16069 (Part 1) - 2013 (Reaffirmed 2022)	Per 250mL	Absent	Absent/250mL

Note : <1 can be taken as absent CFU : Colony Forming Unit.

Remarks : The Packaged Drinking Water Sample Conforms to the Requirement of IS 14543 : 2024 With Respect to the Parameters tested above.

/***** End of the Report *****/


J.Mohammed Shabir
 Authorized Signatory-Biological

Laboratory Address: No 39/6, Puduchatram, Thiruvallur High Road, Thirumazhisai Via, Poonamallee Tk, Thiruvallur, Chennai, Tamil Nadu, India

Note: Test results relate only to the items tested. Test Report shall not be reproduced in full or part without the approval of SMS Labs. Non-Perishable remnant samples will be disposed 15 days from the date of receipt unless otherwise agreed with the customer except in case of regulatory samples, which will be retained for a specific period as per regulatory requirements; while perishable and environmental remnant samples will be disposed consequently upon completion of testing. Samples are not drawn by laboratory unless or otherwise stated. A satisfactory test report in no way implies that a product so tested is approved by NABL. The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/ are said to be extracted.



SMS LABS SERVICES PRIVATE LIMITED



TEST REPORT

TC-6118

Page 1 of 1

ULR - TC61182600006339F

Report No : ENO260331004-02

Report Date : 24 Mar 2026

Customer Name : M/s.Fusion Mont Foods And Beverages.
Customer Address : No.159/2A,Kempalahnapalya,Kanchugaranahalli,Bidadi Hobli,Ramanagara,
Karnataka-562109.

Sample Name : Alkaline Water **Sample Quantity** : 10Ltr×1 No
Sample Description : Premium Alkaline Water With Added Mineral **Sampling Date** : 14 Mar 2026
and Vitamin B-12. **Sample Received on** : 16 Mar 2026
Sample Drawn By : SMS Lab Representative Mr.Narayana **Test Started on** : 16 Mar 2026
Sample Location : Filling Area **Test Completed on** : 23 Mar 2026

Sampling Procedure : SMSLA//MB/SOP/001

TEST RESULTS

S.NO	Parameter	Test Method	Unit	Results	Requirement as per IS 14543 : 2024
Clause 5.3, Table 2 General Parameters Concerning Substances Undesirable In Excessive Amounts					
1	Aluminium	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	0.03 Max
2	Anionic Surface Active Agents as MBAS	IS 3025 (Part 68) -2019	mg/L	BLQ(LOQ:0.05)	0.2 Max
3	Antimony	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	0.005 Max
4	Barium	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	0.7 Max
5	Borates	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.025)	5.0 Max
6	Calcium as Ca	IS 3025 (Part 40) - 2024	mg/L	13	75 Max
7	Copper	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	0.05 Max
8	Iron as Fe	IS 3025 (Part 53) - 2024	mg/L	BLQ(LOQ:0.05)	0.1 Max
9	Magnesium as Mg	IS 3025 (Part 46) - 2023	mg/L	7.2	30 Max
10	Manganese	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	0.1 Max
11	Mineral Oil	IS 3025 (Part 39) - 2021	mg/L	BLQ(LOQ:1.00)	1.0 Max
12	Nitrate as NO3	IS 3025 (Part 34) Sec 1 - 2023	mg/L	1.7	45 Max
13	Nitrite as NO2	IS 3025 (Part 34) Sec 1 - 2023	mg/L	BLQ(LOQ:0.02)	0.02 Max
14	Phenolic Compound as C6H5OH	IS 3025 (Part 43) Sec 1 - 2022	mg/L	BLQ(LOQ:0.001)	0.001 Max
15	Sulphide as H2S	IS 3025 (Part 29) - 2022	mg/L	BLQ(LOQ:0.02)	0.05 Max
16	Zinc	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	5.0 Max

Note : BLQ : Below Quantification Limit, LOQ : Limit of Quantification.

Remarks : The Packaged Drinking Water Sample Conforms to the Requirement of IS 14543 : 2024 With Respect to the Parameters tested above.

/***** End of the Report *****/

M. Sarathkumar
Authorized Signatory-Chemical

Laboratory Address: No 39/6, Puduchatram, Thiruvallur High Road, Thirumazhisai Via, Poonamallee Tk, Thiruvallur, Chennai, Tamil Nadu, India

Note: Test results relate only to the items tested. Test Report shall not be reproduced in full or part without the approval of SMS Labs. Non-Perishable remnant samples will be disposed 15 days from the date of receipt unless otherwise agreed with the customer except in case of regulatory samples, which will be retained for a specific period as per regulatory requirements; while perishable and environmental remnant samples will be disposed consequently upon completion of testing. Samples are not drawn by laboratory unless or otherwise stated. A satisfactory test report in no way implies that a product so tested is approved by NABL. The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/ are said to be extracted.



SMS LABS SERVICES PRIVATE LIMITED



TEST REPORT

TC-6118

Page 1 of 4

ULR - TC61182600006370F

Report No : ENO260331004-03

Report Date : 24 Mar 2026

Customer Name : M/s.Fusion Mont Foods And Beverages.
Customer Address : No.159/2A,Kempalahnapalya,Kanchugaranahalli,Bidadi Hobli,Ramanagara,
Karnataka-562109.
Sample Name : Raw Water **Sample Quantity** : 10 Ltr x 1 No,
5 Ltr x 1 No
Sample Description : Raw Water **Sampling Date** : 14 Mar 2026
Reference : Test Request Form Dated 14.03.2026 **Sample Received on** : 16 Mar 2026
Sample Drawn By : SMS Lab Representative Mr.Narayana **Test Started on** : 16 Mar 2026
Sample Location : Borwell Point **Test Completed on** : 23 Mar 2026
Sample Procedure : SMSLA/EN/SOP/001, SMSLA/MB/SOP/06

TEST RESULTS

S.NO	Parameter	Test Method	Unit	Results	Requirements as per IS 10500-2012-Amd:4	
					Acceptable Limit	Permissible Limit in the absence of alternative source
Biological						
1	<i>Escherichia coli</i>	IS 15185 - 2016 (Reaffirmed 2021)	Per 100mL	Absent	Absent/100mL	Absent/100mL
2	Total Coliforms	IS 15185 - 2016 (Reaffirmed 2021)	Per 100mL	Absent	Absent/100mL	Absent/100mL
Clause 4, Table 1 Organoleptic And Physical parameters						
3	Colour	IS 3025 (Part 04) - 2021	Hazen	2.0	5.0 Max	15.0 Max
4	Odour	IS 3025 (Part 05) - 2018	--	Agreeable	Agreeable	Agreeable
5	pH at 25°C	IS 3025 (Part 11) - 2022	--	7.26	6.5 - 8.5	No Relaxation
6	Taste	IS 3025 (Part 08) - 2023	--	Agreeable	Agreeable	Agreeable
7	Total Dissolved Solids @ 180°C	IS 3025 (Part 16) - 2023	mg/L	435	500.0 Max	2000.0 Max
8	Turbidity	IS 3025 (Part 10) -2023	NTU	0.4	1.0 Max	5.0 Max
Clause 4, Table 2 General Parameters Concerning Substances Undesirable In Excessive Amounts						
9	Aluminium	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	0.03 Max	0.2 Max
10	Ammonia as Total Ammonia-N	IS 3025 (Part 34) - 1988 (Reaffirmed 2019)	mg/L	BLQ(LOQ:0.03)	0.5 Max	No Relaxation
11	Anionic Surface Active Agents as MBAS	IS 3025 (Part 68) - 2019	mg/L	BLQ(LOQ:0.05)	0.2 Max	1.0 Max
12	Barium	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	0.7 Max	No Relaxation
13	Boron	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.025)	0.5 Max	2.4 Max

M. Sarathkumar
Authorized Signatory-Chemical

J. Mohammed Shabir
Authorized Signatory-Biological

Laboratory Address: No 39/6, Puduchatram, Thiruvallur High Road, Thirumazhisai Via, Poonamallee Tk, Thiruvallur, Chennai, Tamil Nadu, India

Note: Test results relate only to the items tested. Test Report shall not be reproduced in full or part without the approval of SMS Labs. Non-Perishable remnant samples will be disposed 15 days from the date of receipt unless otherwise agreed with the customer except in case of regulatory samples, which will be retained for a specific period as per regulatory requirements; while perishable and environmental remnant samples will be disposed consequently upon completion of testing. Samples are not drawn by laboratory unless or otherwise stated. A satisfactory test report in no way implies that a product so tested is approved by NABL. The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/ are said to be extracted.



SMS LABS SERVICES PRIVATE LIMITED



TEST REPORT

TC-6118

ULR - TC61182600006370F

Page 2 of 4

Report No : ENO260331004-03

Report Date : 24 Mar 2026

S.NO	Parameter	Test Method	Unit	Results	Requirements as per IS 10500-2012-Amd:4	
					Acceptable Limit	Permissible Limit in the absence of alternative source
14	Calcium as Ca	IS 3025 (Part 40) - 2024	mg/L	44	75.0 Max	200.0 Max
15	Chloramines as Cl ₂	APHA 24th Edition 4500 Cl ₂ G - 2023	mg/L	BLQ(LOQ:1.0)	4.0 Max	No Relaxation
16	Chloride as Cl	IS 3025 (Part 32) - 1988 (Reaffirmed 2019)	mg/L	127	250.0 Max	1000.0 Max
17	Copper	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	5.0 Max	1.5 Max
18	Fluoride as F	IS 3025 (Part 60) - 2008 (Reaffirmed 2019)	mg/L	0.3	1.0 Max	1.5 Max
19	Free Residual Chlorine	IS 3025 (Part 26) - 2021	mg/L	BLQ(LOQ:0.1)	0.2 Min	1.0 Min
20	Iron as Fe	IS 3025 (Part 53) - 2024	mg/L	BLQ(LOQ:0.05)	1.0 Max	No Relaxation
21	Magnesium as Mg	IS 3025 (Part 46) - 2023	mg/L	13	30.0 Max	100.0 Max
22	Manganese	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	0.1 Max	0.3 Max
23	Mineral Oil	IS 3025 (Part 39) - 2021	mg/L	BLQ(LOQ:1.00)	1.0 Max	No Relaxation
24	Nitrate as NO ₃	APHA 24th Edition 4500 NO ₃ B - 2023	mg/L	6.2	45.0 Max	No Relaxation
25	Phenolic Compound as C ₆ H ₅ OH	IS 3025 (Part 43) Sec 1 - 2022	mg/L	BLQ(LOQ:0.001)	0.001 Max	0.002 Max
26	Selenium	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	0.01 Max	No Relaxation
27	Silver	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	0.1 Max	No Relaxation
28	Sulphate as SO ₄	IS 3025 (Part 24) Sec 1 - 2022	mg/L	58	200.0 Max	400.0 Max
29	Sulphide as H ₂ S	IS 3025 (Part 29) - 2022	mg/L	BLQ(LOQ:0.04)	0.05 Max	No Relaxation
30	Total Alkalinity as CaCO ₃	IS 3025 (Part 23) - 2023	mg/L	184	200.0 Max	600.0 Max
31	Total Hardness as CaCO ₃	IS 3025 (Part 21) - 2009 (Reaffirmed 2019)	mg/L	163	200.0 Max	600.0 Max
32	Zinc	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	5.0 Max	15.0 Max


M. Sarathkumar
Authorized Signatory-Chemical

Laboratory Address: No 39/6, Puduchatram, Thiruvallur High Road, Thirumazhisai Via, Poonamallee Tk, Thiruvallur, Chennai, Tamil Nadu, India

Note: Test results relate only to the items tested. Test Report shall not be reproduced in full or part without the approval of SMS Labs. Non-Perishable remnant samples will be disposed 15 days from the date of receipt unless otherwise agreed with the customer except in case of regulatory samples, which will be retained for a specific period as per regulatory requirements; while perishable and environmental remnant samples will be disposed consequently upon completion of testing. Samples are not drawn by laboratory unless or otherwise stated. A satisfactory test report in no way implies that a product so tested is approved by NABL. The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/ are said to be extracted.



TEST REPORT



TC-6118

ULR - TC61182600006370F
Report No : ENO260331004-03

Page 3 of 4
Report Date : 24 Mar 2026

S.NO	Parameter	Test Method	Unit	Results	Requirements as per IS 10500-2012-Amd:4	
					Acceptable Limit	Permissible Limit in the absence of alternative source
Clause 4, Table 3 Parameters Concerning Toxic Substances						
33	Arsenic	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	0.01 Max	No Relaxation
34	Bromodichloromethane	SMSLA/GC/SOP/32 - 2024	mg/L	BLQ(LOQ:0.005)	0.06 Max	No Relaxation
35	Bromoform	SMSLA/GC/SOP/32 - 2024	mg/L	BLQ(LOQ:0.005)	0.1 Max	No Relaxation
36	Cadmium	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	0.003 Max	No Relaxation
37	Chloroform	SMSLA/GC/SOP/32 - 2024	mg/L	BLQ(LOQ:0.005)	0.2 Max	No Relaxation
38	Cyanide as CN	IS 3025 (Part 27) - 1986 (Reaffirmed 2019)	mg/L	BLQ(LOQ:0.01)	0.05 Max	No Relaxation
39	Dibromochloromethane	SMSLA/GC/SOP/32 - 2024	mg/L	BLQ(LOQ:0.005)	0.1 Max	No Relaxation
40	Lead	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	0.01 Max	No Relaxation
41	Mercury	EPA 200.8 - 1994	mg/L	BLQ(LOQ:0.0005)	0.001 Max	No Relaxation
42	Molybdenum	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	0.07 Max	No Relaxation
43	Nickel	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	0.02 Max	No Relaxation
44	PAHs	SMSLA/GC/SOP/30 - 2024	mg/L	BLQ(LOQ:0.00001)each	0.0001 Max	No Relaxation
45	PCBs	SMSLA/GC/SOP/30 - 2024	mg/L	BLQ(LOQ:0.00001)each	0.0005 Max	No Relaxation
46	Total Chromium	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	0.05 Max	No Relaxation
47	Uranium	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	0.03 Max	No relaxation
Clause 4, Table 5 Pesticide Residues						
48	2,4-D	SMSLA/LS/SOP/01 - 2024	µg/L	BLQ(LOQ:0.010)	30.0 Max	No Relaxation
49	Alachlor	SMSLA/GC/SOP/30 - 2024	µg/L	BLQ(LOQ:0.010)	20.0 Max	No Relaxation
50	Aldrin	SMSLA/GC/SOP/30 - 2024	µg/L	BLQ(LOQ:0.010)	0.03 Max	No Relaxation
51	Atrazine	SMSLA/GC/SOP/30 - 2024	µg/L	BLQ(LOQ:0.010)	2.0 Max	No Relaxation
52	Butachlor	SMSLA/GC/SOP/30 - 2024	µg/L	BLQ(LOQ:0.010)	125.0 Max	No Relaxation
53	Chlorpyrifos Ethyl	SMSLA/GC/SOP/30 - 2024	µg/L	BLQ(LOQ:0.010)	30.0 Max	No Relaxation


M. Sarathkumar
Authorized Signatory-Chemical

Laboratory Address: No 39/6, Puduchatram, Thiruvallur High Road, Thirumazhisai Via, Poonamallee Tk, Thiruvallur, Chennai, Tamil Nadu, India

Note: Test results relate only to the items tested. Test Report shall not be reproduced in full or part without the approval of SMS Labs. Non-Perishable remnant samples will be disposed 15 days from the date of receipt unless otherwise agreed with the customer except in case of regulatory samples, which will be retained for a specific period as per regulatory requirements; while perishable and environmental remnant samples will be disposed consequently upon completion of testing. Samples are not drawn by laboratory unless or otherwise stated. A satisfactory test report in no way implies that a product so tested is approved by NABL. The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/ are said to be extracted.



SMS LABS SERVICES PRIVATE LIMITED

TEST REPORT



TC-6118

ULR - TC61182600006370F
Report No : ENO260331004-03

Page 4 of 4
Report Date : 24 Mar 2026

S.NO	Parameter	Test Method	Unit	Results	Requirements as per IS 10500-2012-Amd:4	
					Acceptable Limit	Permissible Limit in the absence of alternative source
54	Dieldrin	SMSLA/GC/SOP/30 - 2024	µg/L	BLQ(LOQ:0.010)	0.03 Max	No Relaxation
55	Endosulfan Sulfate	SMSLA/GC/SOP/30 - 2024	µg/L	BLQ(LOQ:0.010)	0.4 Max	No Relaxation
56	Endosulfan-Alpha	SMSLA/GC/SOP/30 - 2024	µg/L	BLQ(LOQ:0.010)		No Relaxation
57	Endosulfan-Beta	SMSLA/GC/SOP/30 - 2024	µg/L	BLQ(LOQ:0.010)		No Relaxation
58	Ethion	SMSLA/GC/SOP/30 - 2024	µg/L	BLQ(LOQ:0.010)	3.0 Max	No Relaxation
59	HCH-Alpha	SMSLA/GC/SOP/30 - 2024	µg/L	BLQ(LOQ:0.010)	0.01 Max	No Relaxation
60	HCH-Beta	SMSLA/GC/SOP/30 - 2024	µg/L	BLQ(LOQ:0.010)	0.04 Max	No Relaxation
61	HCH-Delta	SMSLA/GC/SOP/30 - 2024	µg/L	BLQ(LOQ:0.010)	0.04 Max	No Relaxation
62	Isoproturon	SMSLA/LS/SOP/01 - 2024	µg/L	BLQ(LOQ:0.010)	9.0 Max	No Relaxation
63	Lindane Gamma-HCH) Gamma Isomer (Known as Lindane)	SMSLA/GC/SOP/30 - 2024	µg/L	BLQ(LOQ:0.010)	2.0 Max	No Relaxation
64	Malathion	SMSLA/LS/SOP/01 - 2024	µg/L	BLQ(LOQ:0.005)	190.0 Max	No Relaxation
65	Monocrotophos	SMSLA/LS/SOP/01 - 2024	µg/L	BLQ(LOQ:0.010)	1.0 Max	No Relaxation
66	o,p-DDD	SMSLA/GC/SOP/30 - 2024	µg/L	BLQ(LOQ:0.010)		No Relaxation
67	o,p-DDE	SMSLA/GC/SOP/30 - 2024	µg/L	BLQ(LOQ:0.010)		No Relaxation
68	o,p-DDT	SMSLA/GC/SOP/30 - 2024	µg/L	BLQ(LOQ:0.010)		No Relaxation
69	p,p-DDD	SMSLA/GC/SOP/30 - 2024	µg/L	BLQ(LOQ:0.010)		No Relaxation
70	p,p-DDE	SMSLA/GC/SOP/30 - 2024	µg/L	BLQ(LOQ:0.010)		No Relaxation
71	p,p-DDT	SMSLA/GC/SOP/30 - 2024	µg/L	BLQ(LOQ:0.010)	No Relaxation	
72	Parathion methyl	SMSLA/LS/SOP/01 - 2024	µg/L	BLQ(LOQ:0.005)	0.3 Max	No Relaxation
73	Phorate	SMSLA/LS/SOP/01 - 2024	µg/L	BLQ(LOQ:0.010)	2.0 Max	No Relaxation

Note : BLQ: Below Limit of Quantification LOQ: Limit of Quantification. NTU : Nephelometric Turbidity Units
Free Residual Chlorine Limit to be applicable only Chlorinated Water.

Remarks : The Raw Water Sample Conforms to the Requirements of Acceptable Limits as per IS 10500:2012 : Amd : 4 for the Parameters tested above.

/***** End of the Report *****/

M. Sarathkumar
Authorized Signatory-Chemical

Laboratory Address: No 39/6, Puduchatram, Thiruvallur High Road, Thirumazhisai Via, Poonamallee Tk, Thiruvallur, Chennai, Tamil Nadu, India

Note: Test results relate only to the items tested. Test Report shall not be reproduced in full or part without the approval of SMS Labs. Non-Perishable remnant samples will be disposed 15 days from the date of receipt unless otherwise agreed with the customer except in case of regulatory samples, which will be retained for a specific period as per regulatory requirements; while perishable and environmental remnant samples will be disposed consequently upon completion of testing. Samples are not drawn by laboratory unless or otherwise stated. A satisfactory test report in no way implies that a product so tested is approved by NABL. The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/ are said to be extracted.